


SVAVO's Automatic Disinfectant Dispenser

HS CODE: 8509809000

With CE & Rohs



PL-151055
Vol: 1000ml
Gel Type



PL-151049
Vol: 600ml
Spray Type

1. Certificate



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

198 Kazhu Road, Sciotech Park, Guangzhou Economic & Technological
Development District, Guangzhou, China 510883
Telephone: +86 (0) 20 82155555
Fax: +86 (0) 20 82075058
Email: ee.guangzhou@sgs.com

Page 1 of 1

VERIFICATION OF EMC COMPLIANCE

Verification No.: GZEM2003010897HSV
Applicant: Shenzhen SVAVO Intelligent Technology CO., Ltd.
Address of Applicant: No.4 factory, Xinwu Industrial Estate, Shabo Community, Maluan Street, Pingshan District, Shenzhen, China.
Manufacturer: The same as applicant
Address of Manufacturer: The same as applicant
Factory: The same as applicant
Address of Factory: The same as applicant
Product Description: Automatic Hand Sanitizer Dispenser
Model No.: PL-151047, PL-151049
Trade Mark: SVAVO
Sufficient samples of the product have been tested and found to be in conformity with
Test Standard(s): EN 55014-1:2017
EN 55014-2:2015

As shown in the
Test Report Number(s): GZEM200301089701

This verification of EMC Compliance has been granted to the applicant based on the results of the tests, performed by laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on the sample of the above-mentioned product in accordance with the provisions of the relevant specific standards under Directive 2014/53/EU.

The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EU Declaration of Conformity and compliance with all relevant EU Directives.

Kobe Jian
EMC Laboratory Manager



Date: 2020-03-24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side or available at <http://www.sgs.com/sgs/termsandconditions.aspx> for electronic based documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/sgs/termsandconditions.aspx>. Attention is drawn to the limitation of liability, indemnification and arbitration clauses in the General Conditions of Service. The Company is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction, from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document in printed and electronic form may be prosecuted to the fullest extent of the law. Sample retention period: The results shown in this test report refer only to the samples tested and such samples are retained for 30 days only.
Address: To check the authenticity of testing information, please contact us at: Singapore: 65-73303714-1443, or email: sgs@sgs.com
198 Kazhu Road, Sciotech Park, Guangzhou Economic & Technological Development District, Guangzhou, China 510883 | 186-20-82155555 | 186-20-82075058 | www.sgs.com.cn
中国·广州·科学城科学城科苑路198号 | 邮编: 510663 | 186-20-82155555 | 186-20-82075058 | sgs.shra@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

198 Kazhu Road, Sciotech Park, Guangzhou Economic & Technological
Development District, Guangzhou, China 510883
Telephone: +86 (0) 20 82155555
Fax: +86 (0) 20 82075058
Email: ee.guangzhou@sgs.com

Page 1 of 1

VERIFICATION OF EMC COMPLIANCE

Verification No.: GZEM2003011051HSV
Applicant: Shenzhen SVAVO Intelligent Technology CO., Ltd.
Address of Applicant: No.4 factory, Xinwu Industrial Estate, Shabo Community, Maluan Street, Pingshan District, Shenzhen, China.
Manufacturer: The same as applicant
Address of Manufacturer: The same as applicant
Factory: The same as applicant
Address of Factory: The same as applicant
Product Description: Automatic Hand Sanitizer Dispenser
Model No.: PL-151055
Trade Mark: SVAVO
Sufficient samples of the product have been tested and found to be in conformity with
Test Standard(s): EN 55014-1:2017
EN 55014-2:2015
As shown in the
Test Report Number(s): GZEM200301105101

This verification of EMC Compliance has been granted to the applicant based on the results of the tests, performed by laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on the sample of the above-mentioned product in accordance with the provisions of the relevant specific standards under Directive 2014/53/EU.

The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EU Declaration of Conformity and compliance with all relevant EU Directives.

Kobe Jian
EMC Laboratory Manager



Date: 2020-04-03



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side or available at <http://www.sgs.com/sgs/termsandconditions.aspx> for electronic based documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/sgs/termsandconditions.aspx>. Attention is drawn to the limitation of liability, indemnification and arbitration clauses in the General Conditions of Service. The Company is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction, from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document in printed and electronic form may be prosecuted to the fullest extent of the law. Sample retention period: The results shown in this test report refer only to the samples tested and such samples are retained for 30 days only.
Address: To check the authenticity of testing information, please contact us at: Singapore: 65-73303714-1443, or email: sgs@sgs.com
198 Kazhu Road, Sciotech Park, Guangzhou Economic & Technological Development District, Guangzhou, China 510883 | 186-20-82155555 | 186-20-82075058 | www.sgs.com.cn
中国·广州·科学城科学城科苑路198号 | 邮编: 510663 | 186-20-82155555 | 186-20-82075058 | sgs.shra@sgs.com

Member of the SGS Group (SGS SA)

1. Certificate



Verification Report No. CANEC1719009601 Date: 27 Oct 2017 Page 1 of 62

SHENZHEN SVAVO INTELLIGENT TECHNOLOGY CO., LTD.
NO.4 FACTORY, XINWU INDUSTRIAL, SHABO, PINGSHAN NEW DISTRICT, SHENZHEN, CHINA.

Sample Name : Automatic Soap Dispenser
SGS Job No. : CP17-063124 - GZ
Tested Basic Model No. PL-161066
(P.O.No) :
Client Ref. Info. : According to declaration from client, the materials in model PL-161066 is the same as those in model PL-161066.
Manufacturer : SVAVO
Country of Origin : CHINA
Date of Sample Received : 22 Sep 2017
Verification Period : 22 Sep 2017 - 27 Oct 2017
Verification Requested : With reference to RoHS Directive (EU) 2015/863 amending 2011/65/EU.
Verification Method : Please refer to next page(s).
Verification Result : Please refer to next page(s).
Verification Conclusion : Based on the verification results of the submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) do not exceed the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.
Note : The test results are related only to the tested items. The report shall not be reproduced except in full without the written approval of the testing laboratory.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Jenny

Jenny Liao
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side or available at <http://www.sgs.com/sgs/cstc/terms-and-conditions.aspx> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/sgs/cstc/terms-and-conditions.aspx>. Information is given to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Information to check the authenticity of testing documents report & certificates, please contact us at help@sgs.com, 86-755-8337-9333, or www.sgsgroup.com
199 Main Road, Suite 1601, Singapore 049591 | Tel: +65 6375 1113 | www.sgsgroup.com
40 樓, 廣州, 中國 廣州 技術支持及科學服務部 199 號 | 電話: 819863 | 傳真: +86-20-83751113 | www.sgsgroup.com

2. Specification



Model: PL-151055 Automatic hand sanitizer dispenser (Gel type)

Material: ABS
Capacity: approx. 1000ml
Operation via 4 x C Alkaline batteries
Product size: (W)117 x (H)285 x (L)160 mm
Sensor range: 0-10cm
Color: White/Black/White & Grey

Packing: 12pcs/Carton
N.W.: 13.60kgs
G.W.: 16.30kgs
Carton: 515*500*308MM
20ft: 4236pcs
40ft: 8772pcs



Model: PL-151049 Automatic hand sanitizer dispenser (Spray type)

Material: ABS
Dosage adjustable (0.5/1.0ml)
Capacity: approx. 600ml
Operation via 4 x AA Alkaline batteries
Product size: (W)85 x (H)240 x (L)132 mm
Sensor range: 2-10cm
Color: White/Black/White & Grey

Packing: 20pcs/Carton
N.W.: 12.80kgs
G.W.: 14.96kgs
Carton: 571*298*525MM
20ft: 6260pcs
40ft: 12980pcs

Spray Type: PL-151049



PL-151049



PL-151049S



PL-151049ST



PL-151049SF-B



Gel Type: PL-151055



PL-151055



PL-151055S



PL-151055ST



PL-151055SF-B



3. Optional Components



Tray
PT-S49T



Table Holder
PT-M49H



Back Board
PL-30136



Floor Stand
PL-30130/PL-30131

4. Packing Information

Model Number	Description	Carton Size	QTY	N. W	G. W	20ft	40ft
PL-151055	Dispenser	515*500*308mm	12pcs/Ctn	13.60kgs	16.30kgs	4236pcs	8772pcs
PL-151055S	Dispenser+Tray	515*500*308mm	12pcs/Ctn	14.64kgs	17.56kgs	4236pcs	8772pcs
PL-151055ST	Dispenser	515*500*308mm	12pcs/Ctn	14.64kgs	17.34kgs	2000pcs	4000pcs
	Table Holder	570*205*220mm	4pcs/Ctn	9.0kgs	9.80kgs		
PL-151055SF-B	Dispenser	515*500*308mm	12pcs/Ctn	13.60kgs	16.30kgs	1600pcs	3000pcs
	Backboard	625*210*15mm	1pcs/Ctn	2.20kgs	2.50kgs		
	Floor stand	45*45*1283mm	1pcs/Ctn	1.70kgs	1.90kgs		
	Foundation	310*310*25mm	1pcs/Ctn	6.20kgs	6.70kgs		

Model Number	Description	Carton Size	QTY	N. W	G. W	20ft	40ft
PL-151049	Dispenser	571*298*525mm	20pcs/Ctn	12.80kgs	14.96kgs	6260pcs	12980pcs
PL-151049S	Dispenser+Tray	571*298*525mm	20pcs/Ctn	14.64kgs	17.56kgs	6260pcs	12980pcs
PL-151049ST	Dispenser	571*298*525mm	20pcs/Ctn	14.64kgs	17.56kgs	2000pcs	4000pcs
	Table Holder	570*205*220mm	4pcs/Ctn	9.0kgs	9.80kgs		
PL-151049SF-B	Dispenser	571*298*525mm	20pcs/Ctn	13.60kgs	16.30kgs	1600pcs	3000pcs
	Backboard	625*210*15mm	1pcs/Ctn	2.20kgs	2.50kgs		
	Floor stand	45*45*1283mm	1pcs/Ctn	1.70kgs	1.90kgs		
	Foundation	310*310*25mm	1pcs/Ctn	6.20kgs	6.70kgs		

5. Automatic disinfectant dispenser (Gel type)

PL-151055(1000ML)

SOAP DISPENSING VOLUME ADJUSTMENT SWITCH

Dispensing volume is 0.3~0.8(ml)



Automatic disinfectant dispenser (Gel type)

PL-151055(1000ML)

💡 NOTE : PL-151055 automatic soap dispenser has 2 power supply options

A: 4pcs AA size alkaline batteries(not included)

💡 (Low battery indication, red LED blinks every 3 seconds to remind battery changing)



B: AC/DC Adaptor(not included but optional) If needed, please select the one with adaptor and note which plug you prefer.

Product Packaging



6. Automatic disinfectant dispenser (Spray type)

PL-151049(600ML)

Don't let your hands become the residence of germs.

The sterilizer can quickly and effectively remove germs on hands prevent the spread and reproduction of germs.



Infrared reflection type



No contact



600ml capacity

I : Dispensing volume is 0.5(ml)
II : Dispensing volume is 1.0(ml)



Product Specification

Unit size	L132*W85*H240mm
Carton size	560*485*265mm
Vol	600ml
Material	ABS
Unit weight	642g

Technic Parameter

Working voltage	DC6V
Working current	≤700mA
Sensing distance	2-10cm
Standby current	4pcs AA batteries



Automatic disinfectant dispenser (Spray type)

PL-151049(600ML)

💡 NOTE : PL-151049 automatic soap dispenser has 2 power supply options

A: 4pcs AA size alkaline batteries(not included)

💡 (Low battery indication, red LED blinks every 3 seconds to remind battery changing)



B: AC/DC Adaptor(not included but optional) If needed, please select the one with adaptor and note which plug you prefer.



Product Packaging

